

GEORGE ENGELMANN PAPERS





Yeron folumentini? latt folia Nov 6 1872 Shawi Minoini De De C Jam /12, 1872 A monthly & Co same figured och 18/3

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved


MISSOURI BOTANICAL GARDEN




GEORGE ENGELMANN PAPERS









copyright reserved cm GARDEN the state of the s When the property of the party M'SS RI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS MISSOURI BOTANICAL copyright reserved cm GARDEN







MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS MISSOURI copyright reserved cm GARDEN

paugila i litt at Baker Your puberla Hay. Mit Mag. March 1828 Kentt. 4. p. 272 For - Bot Box 221. Unijone - Sleves 6-8 high, leaves 1 foot & D-6 land witt fen bose therest at margin a Scape puleent. _ Edible lasse flesky fruit Sam as y Gracomis abovern - y Britis n sp. ? See Schott; notes & sketches We hat This is quite a district plant, I be named y Schoolig's Dan 26 1773 Schotte, sp. in Hort Forrey one ist of 2 leaves like mine 4 single delached flower, and two helves (split) A a part of the pariete with large bruits /4-6 inches Con) smaller laureslate, with broad membranes lover part, upper brits I shak lag white over obtuse _ or shorter_ There is also a fragment of pacintle with a half muture endt smit, whit I have figured Lan 1871 this jonget is smooth My own fraguets of passible visemble This me stort, smooth, smile membranous bruits fassirlet shot pedicals, and the flowers seem to belong to it. Arethere two op, mixed? and how to the fragment belong to getter The leaves indicte a very district species rounded on buch 8-9 inches long, pinch wide with numerous very short stony slender white fortnight filaments on the edges Towns Tip, below one two longer shright MISSOURI

BOTANICAL

GARDEN

copyright reserved

punicle pebernel or not (if the Africa)

sperimens sund by Schott will this member belong him

brits large, meinbrunreous (corriercon?)

MISS URI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS


0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved


MISSOURI BOTANICAL GARDEN


July 16 1873 Lording of your Mr Riley has abound with the last weeks, that the most first legs its eggs in the side quenelly the saidle, of the fruit, and then furtilizes the stigme (what sheet the carple join) I find that the princtures show very plainly for a few days probably a week, by the Sarker appearance and guinny exsualti Covering them, afterwards they are recognized as pit on wrinkle.

Cike sours, especially about the control part of frist. F I find the your worm usually 4-6 or more coming 8-10 or Even 12 ovules below the princture; rarely above it. Jonning in the shell on rather membran of the egg, buffile which is calanged, but not get broken. popladir, pointed of the lower, first born?) end, oftene at the opposite end in the former the embryo is developed, ourse up, head the wants the oblige Egg. much longer then overley of years, Nich are about 0.8 mg - longest D'ameter, and must be ourond therefore it the carity cell of The Egg seems to be pushed in near the ventue portion of the seed and to reach usually acan the suit orposite where the embry develops and the cap in the order, but I have seen it also in other parts and both are at once their integrants this integrants the icheard and to the marchen obliterated allered in the minimum their enlarged and the marchen obliterated In one instance where there was no ferenday Assepiund, The embryo eurs developed between two pris of orders of adjuty rells, and all Jour were alleved and attacked by the worm. I du 9. puberla (the smeller frike one of Hos Mis.) I fil many - up to 10 worms - one fail - sevenl on toppert - also many, lover - the expen The few 1-3 lance only all below the constriction, i lawright of Kirkwork









J. Schotti 11, put with Ton in the Day Don merringe beling here ? MISSOURI BOTANICAL

copyright reserved

GARDEN

cm